

**Simply the best fixation.**



**FISSO**  
Swiss Made


**Articulated arm for surgical applications  
with quick central fixation**



## Reliability plus rapid setup and use are essential prerequisites for surgical equipment.

### Fisso holding systems and head components:

- safe
- versatile
- practical



### Safe and stable Fisso bases for:

- operating tables
- standard rails

Fisso holding systems have been developed in close cooperation with the University Hospital Zurich. They are easy to position, and can be fixed securely and rapidly with a single knob. The purely mechanical central tightening device enables simple and fast positioning of endoscopes and instruments. Once the position has

been set, it remains firmly fixed throughout the operation. Thanks to cooperation with specialists all over the world and our decades of manufacturing experience, our products are constantly being improved, optimized and perfected.



**Fisso articulated arms with quick central fixation:**

- simple to position
- secure fixing
- great flexibility and stability
- mechanical tightening system
- steam-sterilizable at 134 °C

The Fisso brand stands for user-friendly individualized holding systems that meet all customer requirements. Fisso, the well-proven original ensures high reliability, functional design, and is Swiss Made.

Fisso systems are made of stainless steel and high-quality light alloy. These products can be steam-sterilized at 134 °C. Their solid quality guarantees a long-lasting service life.

## Perfect standard solutions.

Our standard solutions have been proving their worth in surgery all over the world for decades.

Our standard sets are available in many different versions:

- with function-specific head components
- with articulated arms of various lengths and strengths
- with height-adjustable columns of different lengths and shapes
- with rail clamping bases for operating tables or with universal bases for rail, round or flat section mounting

See the table on the back page for the various standard solutions and how they are assembled from single components.

For additional information on standard sets please visit [www.fisso.com](http://www.fisso.com).



### Instrument holder

Art. No. 3840.65 (Picture)  
Art. No. 3828.65  
Art. No. 3840.66  
Art. No. 3840.85



### Endoscope holder

Art. No. 3840.60 (Picture)  
Art. No. 3840.70  
Art. No. 3840.61  
Art. No. 3855.60



### Double arm

Art. No. 3828.69 (Picture)  
Art. No. 3840.69

## Modular individual solutions.

To meet specific customer requirements, individual Fisso holding systems are assembled from parts of our extensive components catalog ([www.fisso.com](http://www.fisso.com)).

We would be happy to advise you so that you work with the optimal Fisso system.



Simply the best fixation.



**FISSO**  
Swiss Made

## Standard solutions for surgery.

Art. No.	Code	Designation	Instrument holder				Endoscope holder				Double arm		
			3840.65	3828.65	3840.66 U-column	3840.85 insulated	3840.60 Rail	3840.70 Universal	3840.61 L-column	3855.60	3828.69	3840.69	

### Head components

5.422	K30	Combined instrument holder Ø 4-18/0-18 mm, M8	•	•	•	•						2x	2x	
5.447	K26	Optic holder Ø 5/10 mm, M8					•	•	•	•				

### Articulated arms (length, upper/lower thread)

4.051	G31	Articulated arm XS-13 (130 mm, M6/M6)												
4.060	G32	Articulated arm XS-19 (190 mm, M6/M6)												
2.850	G9	Articulated arm 3800-28 Steri (280 mm, M8/M12x1)		•								2x		
2.750	G8	Articulated arm 3800-40 Steri (400 mm, M8/M12x1)	•		•	•	•	•	•				2x	
2.780	G15	Articulated arm 3800-55 Steri (550 mm, M8/M12x1)								•				
3.510	G51	Articulated arm 4800-50 Steri (550 mm, M8/M12x1)												
2.101	G22	Articulated arm 5800-50 Steri (560 mm, M10/M12)												

### Columns (Ø x length, upper/lower thread)

5.462	V5-1	Column (Ø 16x300 mm, M12x1/M8)					•	•		•				
5.468-1	V7-1	Column (Ø 16x400 mm, M12x1/M8)												
5.495	V60	L-column (Ø 16, 450x100 mm, M12x1/M8)	•	•		•			•					
5.496	V70	U-column (Ø 16, 266x330x116 mm, M12x1/M8)			•									
Set	V80	Double-arm support									•	•		
93.689	A6	Stop lid M8, Ø 20 mm	•	•	•		•	•	•	•				
93.685	A9	End piece M8, Ø 16 mm				•								

### Base components (rail dimensions/Ø tubular/Ø column)

5.280	S3-3	Rail clamping base, double clamp, (25x10-35x8 mm/-/ height-adjustable, Ø 16 mm)	•	•	•		•		•	•	•	•	•	
5.251	S7	Universal base (25x10-35x8 mm/Ø 10-40 mm/ height-adjustable, Ø 16 mm)						•						
5.240	S30	Insulated rail clamping base, HF-tested, (25x10-35x8 mm/-/ height-adjustable, Ø 16 mm)				•								

Baitella AG

Thurgauerstrasse 70, CH-8050 Zurich, Switzerland

Phone +41 (0)44 305 80 00, Fax +41 (0)44 305 80 05

info@baitella.com, www.fisso.com

